

a moment of
**CARING
HEALTH**

PHAR-EAST LIFE SCIENCE - A Division of Ivy Drugs

Head office: 6 anjali society, opp. old flour mill,
near Gulista Ground, hill drive ,bhavnagar - 364002

Reg. Office: B2-304, Westgate Business Bay,
Near Skoda Showroom, S G Highway, Ahmedabad - 380058

Email : admin@phareastlifescience.com
Contact : +91 76001 94848



www.phar-east.com



PHAR-EASTTM

Life Science

About Us

At Ivy Drugs, we are dedicated to advancing healthcare through innovative drug development and cutting-edge research. Our team of experts strives to deliver transformative therapies that improve lives globally. Developing groundbreaking therapies through advanced research and technology. Focused on delivering solutions that improve quality of life worldwide. Committed to setting new industry standards with rigorous quality and integrity.

Mission

To become a customer-driven company by providing customised solutions and service to meet changing customer requirements. To use best cost effective manufacturing methods supported by proven, eco-friendly and safe technologies. Continuous focus on people to encourage and nurture winning organisational culture. To always work with the values of Care, Integrity, Passion for excellence.

We have challenging and inspiring mission to provide better quality of healthcare and personal care products to improve the quality of human life to do more feel better live longer. That purpose gives us inspiration to develop innovative healthcare products that helps millions of people.

Vision

To emerge as a global partner of choice' to leading consumers of API and Excipient

Sincere about the corporate social responsibility. Company has clear vision of providing best quality healthcare at affordable price to society. Company focus its Resources to Achieve leadership Objective and Strategies. Company Respect its valued Customers like Stockiest, Retailer and Consumers

PHAR-EAST Lifescience

PHAR-EAST Life Science is known for discover, develop & deliver better quality of healthcare & personal care products to create healthier tomorrow. We Discover, Develop & Deliver better quality of products. We have wide range of innovative and attractive Products. All Our Products are available in attractive packing. We maintain proper storage condition of products.



Aziphest - 250 (10X1X6 TABLETS)



PHAR-EAST™

Azithromycin I.P (As Dihdrate)	
Eq. to Anhydrous	
Azithromycin	250 mg
Excipients	Q.S
Colour : Quinoline Yellow	

INDICATION:

- It's widely used to treat chest infections such as pneumonia,
- Nose Infections
- Throat Infection
- Sinus Infection (sinusitis),
- Skin Infections,
- Lyme Disease,
- Sexually Transmitted Infections.

Azithromycin I.P (As Dihdrate)	
Eq. to Anhydrous	
Azithromycin	500 mg
Excipients	Q.S
Colour : Quinoline Yellow	

INDICATION:

- It's widely used to treat chest infections such as pneumonia,
- Nose Infections
- Throat Infection
- Sinus Infection (sinusitis),
- Skin Infections,
- Lyme Disease,
- Sexually Transmitted Infections.




Aziphest - 500 (10X1X3 TABLETS)

DICLOPHAR-P (20X10 TABLETS)

Diclofenac Potassium	50 mg
Paracetamol	325 mg

INDICATION:

- Pain & inflammation
- Rheumatoid arthritis
- Lower back pain
- Ankylosing spondylitis



DICLOPHAR MR (20X10 TABLETS)

Diclofenac sodium	50 mg
Paracetamol	325 mg
Chlorzoxazone	250 mg

INDICATION:

- Skeletal Muscle Spasm
- Low Back Pain

DICLOPHAR SP (20X10 TABLETS)

Diclofenac potassium BP	50 mg
Paracetamol IP	325 mg
Serratiopeptidase IP	10 mg

INDICATION:

- Post operative Odema
- Haematoma
- Periodontitis
- Gingivitis
- Abscess
- Inflammation afer surgery



Clavophar - 625
(10X1X6 TABLETS)

Amoxicillin Trihydrate I.P	+
Eq. to Amoxicillin	500 mg +
Potassium Clavulanate I.P	+
Eq. to Clavulanic Acid	125 mg +
Excipients	Q.S

INDICATION:

- To treat infections which are proven or strongly suspected due to susceptible bacteria.
- It is also used to reduce the development of drug resistant bacteria.
- It is used to treat Lower respiratory tract infection, sinusitis, Acute bacterial otitis media, skin and skin structure infections, Urinary tract infections.
- When it shows susceptibility to amoxicillin, means no beta-lactamase productions, so it should not be used.



Clavophar-LB
(10x1x6 Tablets)

Amoxicillin Trihydrate	IP
eq. to Amoxicillin	500 mg.
Pottasium Clanulanate Diluted	IP
eq. to Clavulanic Acid	125 mg.
Lactic Acid Bacillus 60 million Spores	
Excipients	q.s.

INDICATION:

Treatment of Bacterial infections



Clavophar - 375
(10X1X6 TABLETS)

Acophar-P
(20X10 TABLETS)

Aceclofenac I.P	100 mg
Paracetamol I.P	325 mg
Excipients	Q.S.
Colour : Sunset Yellow	FCF

INDICATION:

- Back Pain
- Ankylosing Spondylitis
- Frozen Shoulder
- Osteoarthritis
- Rheumatoid Arthritis
- Dental Pain



Acophar-MR
(10X10 TABLETS)

Aceclofenac I.P	100 mg
Paracetamol I.P	325 mg
Chlorzoxazone I.P	250 mg

(30000 IU Serratiopeptidase units as enteric coated granules)

INDICATION:

- Back Pain
- Ankylosing Spondylitis
- Frozen Shoulder
- Osteoarthritis
- Rheumatoid Arthritis
- Dental Pain



Acophar-SP
(10X10 TABLETS)

Aceclofenac I.P	100 mg
Paracetamol I.P	325 mg
Serratiptidase I.P	15 mg

(30000 IU Serratiopeptidase units as enteric coated granules)

INDICATION:

- Febrility
- Fever, Cold
- Ear Pain
- Joint and Bones pain
- Toothache
- Rheumatoid arthritis
- Ankylosing spondylitis
- Osteoarthritis
- Periarthritis of scapulothoracic
- Lumbago
- Ischiadynia
- Pain caused by nonarticular
- Rheutism
- Headache
- Periods pain
- Flu
- Muscle pain
- Migraine
- Air cavities around nose
- Sore throat
- Ear infections
- Swelling
- Blodd clots



PHANTIM-200

(10x10 Tablets)

Cefixime I.P. as Trihydrate	
Eq. to Cefixime	200gm
Excipients	q.s.

INDICATION:

- Upper & Lower Respiratory Tract Infection S
- Typhoid & Paratyphoid Fever
- Urinary Tract Infections
- Switch-on Therapy From Injectable Cephalosporins



PHAR-EAST™



PHANTIM-LB

(10x10 Tablets)

Cefixime Trihydrate	IP
Eq.to anhydrous cefixime	200mg.
Lactic acid bacillus 2.5 billion spores	
excipients	q.s.

INDICATION:

Treatment of Bacterial infections



PHANTIM-O

(10x10 Tablets)

Cefixime Trihydrate	IP
Eq.to anhydrous cefixime	200mg.
Ofloxacin IP	200mg.
Excipients	q.s.

INDICATION:

Treatment of Bacterial infections



APOPHEST-200

(10X10 TABLETS)

Cefpodoxime proxetil	IP
Eq.to Cefpodoxime	200 mg.
Excipients	Q.S.

INDICATION:

Treatment of Bacterial infections


Apophest-CV

(10x1x6 Tablets)

Cefpodoxime Proxetil I.P	
Eq. to cefpodoxime	200 mg
Pottassium Clavulanate Diluted I.P	
Eq. to Clavulanate Acid	125gm
Excipients	q.s.
Colour	Titanium Dioxide I.P

INDICATION:

- Antibiotic that is used to treat various bacterial infections such as tonsillitis, ear infections, throat infections, urinary tract infections (UTIs), bronchitis, and other infections. The antibiotic works by destroying the cell walls of bacteria.



APOPHEST-O

(10X10 TABLETS)

PHAR-EAST™

PHARZOLE-40

(10x10 Tablets)

Pantoprazole Sodium I.P	
Eq. to Pantoprazole	40 mg
Excipients	Q.S.
Colour	Yellow oxide of iron & Titanium dioxide i.p

INDICATION:

- Treat certain stomach and esophagus problems (such as acid reflux).
- This medication relieves symptoms such as heartburn, difficulty swallowing, and persistent cough.
- Helps prevent ulcers, and may help prevent cancer of the esophagus.



PHARZOLE-D

(10x10 TABLETS)

Pantoprazole sodium I.P	
Eq. to Pantoprazole	40 mg
Domperidon I.P	10 mg
Excipients	Q.S
Colour : ponceu	4R

INDICATION:

To treat erosive esophagitis in adult and children of 5 years age or more. This combination is used to treat severe and resistant GERD it is used to treat dyspepsia, epigastric pain, heart burn, vomiting and nausea.



Pentophar-DSR

(10x10 TABLETS)

Pantoprazole Sodium I.P (As enteric coated granules)	40 mg
Domperidon I.P (As sustain release granules)	30 mg
Excipients)	Q.S


INDICATION:

- Gastro-esophageal reflux disease
- For symptomatic relief of Nausea and Vomiting,
- For upper abdominal discomfort
- For backward movement of stomach content up esophageal tract into the mouth causing feeling like vomiting
- For Erosive esophagitis
- For gastric and duodenal ulcers



FASTER & BETTER >>>

Result In Acid Reflux



Rabiphar-DSR

(10x10 TABLETS)

Rabiprazole Sodium	20 mg
Domperidone	30 mg
Excipients	Q.S
Colour	Red Oxide of iron

INDICATION:

For the treatment of Gastro Acid Reflux Disorder, also used in Erosive Esophagitis, Gastroesophageal Reflux Disease, Helicobacter pylori Infection, Zollinger-Ellison Syndrome and Gastro-Duodenal ulcers.



PHAR-EAST™

Itcophar- 100

Itcophar- 200



Pharmim-P Tablets
(20x10 Tablets)

Nimesulide	100mg
Paracetamol I.P.	325mg

INDICATION:
Pain Relief

PHARVOM-4MD

Itcophar- 100

PHAR-EAST™

Ophest-OZ (20X10 TABLETS)

Ofloxacin I.P	200 mg
Ornidazole I.P	500 mg
Colour : Sunset yellow	FCF

INDICATION:

Diarrhea, foot ulcers in diabetes patients, infection of stomach, Female Reproductive system disorder, Pelvic infections, also for the treatment and prevention of certain types of bacterial infections. for the treatment of respiratory and urinary tract infections.



Pharzin Cold (20X10 TABLETS)

Paracetamol I.P	500 mg
Phenylephrine Hydrochloride I.P.	5 mg
Chlorpheniramine maleate I.P	2 mg
Caffeine I.P	15 mg
Excipient	

INDICATION:

To relieve the cold symptoms, flu and allergic symptoms like runny nose, watery eyes, sneezing, helps to relieve nasal congestion, reduce fever and relieve the pain,



PHARZIN-LM

(10X10 TABLETS)

Eq.to Montelukast	10mg.
Levocetirizine hydrochloride IP	5mg
Excipients	q.s.

INDICATION:

- Treatment of Sneezing and runny nose due to allergies
- Treatment of Hay fever
- Treatment of Allergic skin conditions.




**Pharkof-BR
COUGH SYRUP**
(60ml. / 100ml.)

Bromhexine HCL	4 mg
Terbutalin sulphate	1.25 mg
Guanaphenesin	50 mg
Menthol	2.5 mg

INDICATION:

- Cough associated with Acute and Chronic Bronchitis
- Asthmatic Bronchitis
- Emphysema, Active and Passive Smoking
- Pulmonary TB
- Other Bronchospastic Disorders



**Pharkof-DM
COUGH SYRUP**
(60ml. / 100ml.)

Dextromethorphan HBR	15 mg
Chlorpheniramin Maleate	2 mg
Phenylephrine HCL	5 mg

INDICATION:

- Dry Cough & Cold
- Common Cold & Other Allergic Condition



FOR COUGH & COLD

**Pharkof-AM
COUGH SYRUP**
(60ml. / 100ml.)

Ambroxol HCL	15 mg
Terbutalin Sulphate	1.25 mg
Guanaphenesin	50 mg
Menthol	2.5 mg

INDICATION:

- Wet cough
- Emphysema with bronchitis pneumoconiosis
- Tracheobronchitis
- Acute exacerbations of bronchitis



**Pharkof-AM
COUGH SYRUP**
(60ml. / 100ml.)

Ambroxol HCL	15 mg
Terbutalin Sulphate	1.25 mg
Guanaphenesin	50 mg
Menthol	2.5 mg

INDICATION:

- Wet cough
- Emphysema with bronchitis pneumoconiosis
- Tracheobronchitis
- Acute exacerbations of bronchitis

**PHARKOF-BR
PHARKOF-AM
PHARKOF-DM**

PHARKOOL-3

PHAR-EAST™



SOPHEST

Mitha Pan Flavour
MOUTH ULCER GEL-10 GM

Composition
Choline salicylate
Lignocain Hcl
Benzalkonium chloride

INDICATION:
For mouth ulcer and sores



Pharzole-40 INJECTION

INDICATION:

Pantoprazole Sodium I.P.	40 mg
Eq.to. Pantoprazole	

PHARTROX-1 GM




PHARTROX-SB-1.5 INJECTION

Ceftriaxone Sodium (Sterile)	IP
Eq.to Ceftriaxone (Anhdrous)	1000 mg.
Sulbactam Sodium	USP
Eq.to Sulbactam	500 mg.

INDICATION:
Bacterial infections.

**ARTHRITIS,
JOINT &
MUSCLE PAIN**



PHAR-EAST™

voliphar

Diclofenac Diethylamine,
Methylsalicylate,
Menthol & Linseed Oil Gel.




**FAST ACTING
DEEP PENETRATION**

LUPHAR cream

Composition
Luliconazole

INDICATION:
Luliconazole is an azole antifungal
that works by preventing the
growth of the fungus.



**CLOTRIMAZOLE DIUSTING
POWDER-75GM**




Clophest-GM Cream-10gm

Composition:
Clobetasol propionate
Miconazole nitrate
Neomycin

INDICATION:
Mixed skin infection

Clear Away
Skin Affliction



PHAR-EAST™

CHOCOPHAR Chocolate Flavour

200 g

INDICATION:

Protein Hydrolysate 20%	5g
Calcium	225 mg
Phosphorus	174mg
D.H.A	30mg
Vitamin A	1 mg
Vitamin B1	1 mg
Vitamin B2	1 mg
Vitamin B6	0.5 mg
Vitamin C	30 mg
Vitamin B12	1 mcg



CHOCOPHAR PLUS Chocolate Flavour Powder

200 g

CHOCOPHAR PLUS : PHAR-EAST CHOCOPHAR
Is A Daily Use Nutritional Health Drink Formulated
With Ingredients That Support Bone And Muscle Health,
Aid Healthy Digestion, And Support Immunity.
HIGH PROTEIN Helps In Gaining Strength As Well As Managing Weight

Suitable for both Men and Women & Kids,
No artificial sweetener & preservative added ,
Instantised proteins for easy blending & digestion



LIST OF UPCOMING PRODUCTS



Pharzin-LM

Levocetirizine Hydrochloride IP	2.5 mg
Montelukast Sodium IP	4 mg
Colour : Sunset Yellow FCF	
Flavoured Syrup Base	q.s.

USES OF NUKAST 4 SYRUP IN CHILDREN

- 1) Treatment of Sneezing and runny nose due to allergies
- 2) Treatment of Hay fever
- 3) Treatment of Allergic skin conditions



Phar Glow

Cream 25g

Composition:

Hydroquinone	U.S.P	2.0% W/W
Tretinoin	U.S.P	0.025% W/W
Mometasone Furoate	I.P	0.1% W/W
In Cream Base		q.s.

INDICATION:

Treatment of Melasma



PHAR-EAST™



CLAVOPHAR

Dry Syrup

Amoxicillin Trihydrate	IP
Eq. To Anhydrous Amoxicillin	200 mg
Pottassium Clavulanet Diluted	IP
Eq. to Clavulanic Acid	28.5 mg
Excipients	Q.S.

Amoxicillin and clavulanate combination is used to treat bacterial infections in many different parts of the body



Acophar-P

60ml

USES OF ALDIGESIC P 50MG/125MG
ORAL SUSPENSION IN CHILDREN

1. Treatment of Fever
2. Pain Relief

